

Zf ca. \hhdg ##kkk" mcgchgZh" Wca

(' (' .

' / , ,

)')(' (' ('



Ι Π Β Β Κ Μ Μ Σ Λ Σ Σ Σ / Β Λ Β Λ Β Ι Μ Ε Β Β

30

6

29

18

0 .





;6#H

&





&

g] bhYf] b[ gmghYa Uh  
X] ZZYfYbh kcf\_] b[  
ghUhYg Vm WcaV] b] b av



5b i`hfU!\][\  
ghfYb[h\ A[!' 5! Nb  
%& U`cm k]h\`ck  
hYbg] cb!

dfYggi fY d]dY` ]bY  
cj Yf Wcad` Yl hYffU] b

FYgYUfVX



]b!k\YY` achcf  
Xf]j Yb j Y\]WY VUgYX  
cb Yl hYbg]cb d





\*\*

&\$&\$! \$% %

\* +

&\$&\$! \$% ' \$

\*  
,



(



ΣΤ. ΣΑ. / ΜΗΘΩ. ##ΚΚΚ. ΠΕΡΕΡΕΣΤΗ. ΛΕΣ

















	and Vibration	Sciences	31
	Isolation Performance		
	Analysis of Seat		
	Suspension System		
	Based on Negative		
	Stiffness Structure		
	Forced vibration of		
	two-degrees-of-freedom		
8	machine tool feed		
	system with clearance		
	and friction		



fractional-order model  
of magnetorheology

Zf ca. \hhdg. ##kkk" mcgchgZh" Wca

ΣΤ. ΣΑ. / ΜΗΘΩ. ##ΚΚΚ. ΠΑΡΑΡΑΡΑΡΑ. ΛΑΡΑ





70

HEV







ΣΤ. ΣΑ. / ΜΗΘΩ. ##ΚΚΚ. ΠΕΡΕΡΕΣΡ. ΛΕΡ



I N B B K M M S A      S S S / B A B A B I M E B B



&

&\$&! \$-!  
\$+

!

+\$" \*\*

!

fi

%

grghYa Zcf  
XYWbhfX



gYa]

$\frac{3}{4}$



hYbXYbWn cZ JA8  
UbX ]hg  
Udd` ]W|h]cb ]b  
ai`h]ZUi`h  
X]U[bcg]g cZ  
fc``]b[ VYUf]b[g



VYUf] b[ g VUgYX cb  
XmbUa] Vg acXY` UbX  
h\YfaU` bYhkcF\_  
aYh\cX  
Ghi Xm p \mXfc[ Yb

&&







()

G





Hi bbY` 6cf] b[  
AUMX] bY 7i hhYf  
GYUh

9b[] bYYf] b[

↓

\*  
,

, \$

$\frac{3}{4}$

\$(

-)

%\$ (

%%

7B%&(- +&) % 6

&\$&&! %\$!  
&%

%&