


石家庄铁道大学所有，未经允许不得他用



)') ( ) (

&\$&\$

..





Ñ

°

∞

∅

∂

·

à









u

3.

0c 0.16.996 Td0

2			200		2020-05-01
3			300		2020-05-21

7	Water Insoluble and Flexible Transparent Film Based on Carboxymethyl Cellulose	CARBOHYD RATE POLYMERS	Lin Xiaobo		2020-12-10
---	--	------------------------------	---------------	--	------------

8





t

u

u

石家庄铁道大学所有，未经允许不得他用

u

u

"

...

u

u

u

2-3

u

u

u

t

u

u

( ' ( ' . ' .

A









3900 t t X  
t 2272 4573.8  
u  
t t t t t  
u  
2.272  $\mu$

u

100

"

...

u

1.

u

š

u Š  
t Š t  
t t t  
...u t t " t  
t t  
u  
3. u  
u

1			57.6	-	2021-08-19
2	-		58	-	2021-10-22







2. 670 u  
u  
t ( ) t  
8 5  
12  
u  
u













3900

t

t X

t

2386

CMA00

t

t

t

u

u

u

u

u

u

u

3.

t

u

Ö  
Ç

Ö ...

u

\$

u

t

t

t



hierarchical sponge via a

16	Ferroelasticity Mediated Energy Conversion in Strained Perovskite Films	Advanced Electronic Materials	Jiao Yanan		2022-08-15
17	Microstructure evolution of interfacial transition zone between alkali-activated fly ash/ slag matrix and				





u

u

u

u

.

u

1-2

u